

梅州市塔牌集团蕉岭鑫达旋窑水泥有限公司

二〇一六年六月

2.1		2
2.2		2
3.1		4
3.2		10
3.3		13
3.4		14
3.5		19
3.6		19
3.7		21
4.1		23
4.2		24
4.3		26
4.4		26
5.1		40
5.2		40
5.3		40

5.4		40
7.1	Q	42
7.2	M	42
7.3	E	46
7.4		48
8.1		50
8.2		51
8.3		53
8.4		54
8.5		56

2.1

2.1.1

2.1.2

2.1.3

2.2

2.2.1

2.2.2

3

3.1

3.1.1

70000

7000

3-1

3.1.2

3.1.4

3.1.5

[illegible]

3.2

3.2.1 10km


(GB3838-2002) II

3.2.2 500

3.2.3

5km

3-3



3-1 5km

3.3


3-4

			/t		
1					
2					
3					

4

3.4

1



5

5

Φ

3.5

3.6

3.6.1

1

2

3

4

5

6


7

8

3.6.2

3.7

3.7.1



3.7.2

3-5

4

4.1

4.1.1

4.2

4.2.1

4.2.2

4.2.3

4.2.4

4.3

4.4

1

4-1

4-2

		Nm ³ /h	kg/h			
			SO ₂		NO _x	

[illegible]

m						
	SO ₂				NO _x	
	mg/m ³	%	mg/m ³	%	mg/m ³	%

2

$$Q_L = C_d A \rho \sqrt{\frac{2(P - P_0)}{\rho} + 2gh}$$

—

$$Q_3 = a \times p \times M / (R \times T_0) \times u^{(2-n)/(2+n)} \times r^{(4+n)/(2+n)}$$

—
—
—
—

—
—
—

4-4 kg/s

	A B	C D	E F

4-5

	n	
		×
		×
		×

$$C(x,y,z)=\frac{\gamma Q_0}{(2\pi)^3\sigma_x\sigma_y\sigma_z}\exp[\frac{\gamma}{2\sigma_x^2}(x-x_0)^2]\exp[\frac{\gamma}{2\sigma_y^2}(y-y_0)^2]\exp[\frac{\gamma}{2\sigma_z^2}(z-z_0)^2]$$

$$x-y$$

$$x_o\;y_o\;z_o$$

$$C_w^i(x,y,o,t_w)=\frac{\gamma Q}{(2\pi)^{3/2}\sigma_{x,eff}\sigma_{y,eff}\sigma_{z,eff}}\exp(-\frac{H_e^2}{2\sigma_{x,eff}^2})\exp\{-\frac{(x-x_w^i)^2}{2\sigma_{x,eff}^2}-\frac{(y-y_w^i)^2}{2\sigma_{y,eff}^2}\},$$

$$C^i_w(x,y,o,t_w^i)$$

$$Q'=Q\Delta t;$$

$$\sigma_{j,eff}^2=\sum_{k=1}^w\sigma_{j,k}^2\qquad\qquad(j=x,\;y,\;z)$$

$$\sigma_{j,k}^2=\sigma_{j,k}^2(u_k)-\sigma_{j,k}^2(u_{k-1})$$

$$x_w^i\;y_w^i$$

$$x_w^i=u_{x,w}(t-t_{w-1})+\sum_{k=1}^{w-1}u_{x,k}(t_k-t_{k-1})$$

$$y_w^i = u_{v,w}(t - t_{w-1}) + \sum_{k=1}^{w-1} u_{j,k}(t_k - t_{k-1}),$$

$$C(x, y, o, t) = \sum_{i=1}^n C_i(x, y, o, t)$$

$$\mathcal{C}_{n+1}(x, y, o, \vec{t}) \leq \hat{f} \sum_{i=1}^n \mathcal{C}_i(x, y, o, \vec{t})$$

4-6

C

 mg/m^3 [illegible]

[illegible]

4-7

		Nm ³ /h	kg/h	

4-9

[illegible]

m		
	mg/m ³	%

$$Q_L = C_d A \rho \sqrt{\frac{2(P - P_0)}{\rho} + 2gh}$$

4-10

5

5.1

5.2

5.3

5.4

6

6-1

7

7.1

Q

$$\frac{q_1}{Q_1} + \frac{q_2}{Q_2} \wedge \wedge + \frac{q_n}{Q_n} \geq 1$$

$$q_1, q_2 \wedge \wedge q_n$$

$$Q_1, Q_2 \wedge \wedge Q_n$$

7-1

					“ “ ” _____ ”
					

Q=2.2425

7.2

M

7.2.1

7.2.2

7.2.3

7.2.4

7.2.5

7-2

7-3

M1

7.3

E

7-4

7.4

7.4.1

7-5 2 E2 ——

7.4.2

$1 \leq Q < 10$


M1


2

“ Q1M1E2 ”

8.1







8.4

